



PRODUCT-DETAILS

# CP6415

## Control panel. 15" TFT touch screen, 64 K colors, 1024 x 768 pixel, Chromium Browser (CP6415)



| General Information   |   |
|-----------------------|---|
| Extended Product Type | CP6415  |
| Product ID            | 1SAP541510R0001   |
| ABB Type Designation  | CP6415  |
| EAN                   | 4013614553264   |
| Catalog Description   | Control panel. 15" TFT touch screen, 64 K colors, 1024 x 768 pixel, Chromium Browser (CP6415)                           |
| Long Description      | CP6415: CP600 Control panel. 15" TFT touch screen, 64 K colors, 1024 x 768 pixel, Chromium Browser. PB610 applications. |

| Ordering                |   |
|-------------------------|---|
| CN8                     | 85371091  |
| Invoice Description     | Control panel. 15" TFT touch screen, 64 K colors, 1024 x 768 pixel, Chromium Browser (CP6415) |
| Made To Order           | No  |
| Minimum Order Quantity  | 1 piece   |
| Order Multiple          | 1 piece   |
| Selling Unit of Measure | piece   |

## Dimensions

|                                |          |
|--------------------------------|----------|
| Product Net Weight             | 3.19 kg  |
| Product Net Depth / Length     | 47 mm    |
| Product Net Height             | 307 mm   |
| Product Net Width              | 392 mm   |
| Gross Weight                   | 3.5 kg   |
| Package Level 1 Depth / Length | 510 mm   |
| Package Level 1 Height         | 145 mm   |
| Package Level 1 Width          | 410 mm   |
| Package Level 1 Units          | 1 carton |

## Technical

|                                  |   |
|----------------------------------|---|
| Function                         | 15" TFT touch screen, 64 K colors, 1024 x 768 pixel, Chromium Browser   |
| Screen Size                      | 15 in   |
| Screen Color                     | 65536 Colors  |
| Screen Resolution                | 1024 x 786 pixel  |
| Display Type                     | TFT, resistive touch  |
| Number of Hardware Interfaces    | Industrial Ethernet 2<br>Other 1<br>Parallel 0<br>RS-232 0<br>RS-422 0<br>RS-485 0<br>Serial TTY 0<br>USB 2<br>Wireless 0<br>PROFINET 0 |
| Memory Size                      | 150000 kB   |
| Security                         | 50  |
| Input Voltage Type               | DC  |
| Degree of Protection             | Front IP66  |
| Supply Voltage                   | 18 ... 32 V DC  |
| Built-In Depth (t <sub>2</sub> ) | 40 mm   |
| Ambient Air Temperature          | Operation -20 ... +60 °C  |

## Additional Information

|                   |                |
|-------------------|----------------|
| Product Main Type | CP6415         |
| Product Name      | Control Panels |

## Classifications

|        |                          |
|--------|--------------------------|
| eClass | 27-33-02-01              |
| ETIM 8 | EC001412 - Graphic panel |
| UNSPSC | 32151703                 |

## Environmental

|      |   |
|------|---|
| SCIP | 9d16d56e-059a-4654-b833-28272beaa3b1 Germany (DE) |
|------|---|

WEEE B2C / B2B

Business To Business

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

---

## Categories

---

PLC Automation → Control panels → CP600 → Devices

